WEST

Freeform Search

Database:
```
US Patents Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Term:
```
15 and product
```

Display: `20` Documents in **Display Format:** `TI` **Starting with Number** `1`

Generate: ○ **Hit List** ● **Hit Count** ○ **Image**

| Search | Clear | Help | Logout | Interrupt |

| Main Menu | Show S Numbers | Edit S Numbers | Preferences |

Search History

Today's Date: 12/28/2000

DB Name	Query	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	l5 and product	34	L6
USPT,JPAB,EPAB,DWPI,TDBD	l1 and l4	39	L5
USPT,JPAB,EPAB,DWPI,TDBD	(side adj effect) or (adverse adj (event or effect))	139027	L4
USPT,JPAB,EPAB,DWPI,TDBD	l1 and l2	0	L3
USPT,JPAB,EPAB,DWPI,TDBD	new adj use	1269	L2
USPT,JPAB,EPAB,DWPI,TDBD	(marijuana or marihuana) and cancer	110	L1

IEEE/IEE Electronic Library *online*

SEARCH RESULTS

HOME | SEARCH | ADVANCED SEARCH | WHAT'S NEW | HELP | LOGOUT

(side effect or adverse effect or adverse event) a[Refine]

Collection: ☑ Journals ☑ Conferences ☑ Standards

Your search matched **0** of **653541** documents.

0 are presented on this page, sorted by Score in descending order.

No documents matched your query.

| IEL Online Home | Search | Advanced Search | What's New | Help | Logout |
| FAQ's | Support | Comments |

IEEE/IEE Electronic Library *o n l i n e*

SEARCH RESULTS

HOME | SEARCH | ADVANCED SEARCH | WHAT'S NEW | HELP | LOGOUT

| (side effect or adverse effect or adverse event) a | Refine |

Collection: ☑ Journals ☑ Conferences ☑ Standards

Your search matched **30** of **653541** documents.

25 are presented on this page, sorted by Score in descending order.

DOC TYPE	VIEW ISSUE TOC	VIEW FULL PAGE	VIEW CITATION
CNF	🗔	📄	**Telemedicine for homecare: applications for AIDS patients** *Beuscart, R.J.; Kulik, J.F.; Valette, M.; Bricon-Souf, N.; Mouton, M.* Engineering in Medicine and Biology Society, 1997. Proceedings of the 19th Annual International Conference of the IEEE Volume: 2 , 1997 , Page(s): 915 -917 vol.2
CNF	🗔	📄	**A telemedicine drug delivery and compliance evaluation system** *Williams, G.; Williams, M.; Doughty, K.* Engineering in Medicine and Biology Society, 1996. Bridging Disciplines for Biomedicine., 18th Annual International Conference of the IEEE Volume: 1 , 1997 , Page(s): 274 -275 vol.1
CNF	🗔	📄	**Medical and surgical applications of FELs** *Jean, B.* Particle Accelerator Conference, 1995., Proceedings of the 1995 Volume: 1 , 1995 , Page(s): 75 -79 vol.1
CNF	🗔	📄	**Computerized monitoring of Clozaril therapy in NYS Psychiatric Centers** *Ortiz, M.T.; Burns, E.R.; Seitz, F.C.; Rudelli, R.D.* Bioengineering Conference, 1992., Proceedings of the 1992 Eighteenth IEEE Annual Northeast , 1992 , Page(s): 69 -70
CNF	🗔	📄	**Extending the feature dictionary to support sophisticated feature interaction and classification** *Samuels, W.B.; Evens, M.; Naeymi-Rad, F.; Rosenthal, R.; Naeymirad, S.; Lee, C.; Trace, D.; Carmony, L.* Computer-Based Medical Systems,1989. Proceedings., Second Annual IEEE Symposium on , 1989 , Page(s): 29 -35
PER	🗔	📄	**An expert system for monitoring psychiatric treatment** *Goethe, J.W.; Bronzino, J.D.*

IEEE Engineering in Medicine and Biology Magazine
Volume: 14 6 , Nov.-Dec. 1995 , Page(s): 776 -780

CNF

The feasibility of using medical imaging modalities for in-vivo detecting of physiological effects of electromagnetic radiation in the human brain during the use of cellular phones
Peyman, A.; Chen, X.
Electromagnetic Assessment and Antenna Design Relating To Health Implications of Mobile Phones (Ref. No. 1999/043), IEE Seminar on , 1999 , Page(s): 3/1 -3/6

CNF

A formal approach to clinical decision making and patient management
Fox, J.
Artifical Intelligence in Medicine (Digest No: 1996-031), IEE Colloquium on , 1996 , Page(s): 9/1

CNF

Cognitive assessment of toxicity: the Automated Cognitive Test (ACT) system
Stollery, B.
Computer-Aided Tests of Drug Effectiveness, IEE Colloquium on , 1994 , Page(s): 2/1 -2/4

CNF

The effect of orthoses on gait: an integrated biomechanical perspective
Esquenazi, A.; Talaty, M.
Pediatric Gait, 2000. A new Millennium in Clinical Care and Motion Analysis Technology , 2000 , Page(s): 61 -68

CNF

Physiotherapeutic devices of optic and Ehf-band waves
Votoropin, S.D.; Kozhemyakin, A.M.
High Power Microwave Electronics: Measurements, Identification, Applications, 1999. MIA-ME '99. Proceedings of the IEEE-Russia Conference , 1999 , Page(s): V64 -V67

CNF

Prediction of a patient's response to a specific drug treatment using artificial neural networks
Valafar, H.; Valafar, F.
Neural Networks, 1999. IJCNN '99. International Joint Conference on
Volume: 5 , 1999 , Page(s): 3694 -3697 vol.5

CNF

Optimization of the therapy of viral infections using fuzzy techniques
Felippe de Souza, J.A.M.; Galvao, R.K.H.; Yoneyama, T.
American Control Conference, 1999. Proceedings of the 1999

Volume: 6 , 1999 , Page(s): 4051 -4055 vol.6

CNF

The use of a microcomputer in collecting data from cardiovascular experiments on muscle relaxants
Thut, P.D.; Polansky, G.; Pruzansky, E.
Computer Applications in Medical Care, 1983. Proceedings. The Seventh Annual Symposium on , 1983 , Page(s): 905 -907

CNF

Suppression of rotational motion artifacts in MRI using a fuzzy data model and POCS with soft constraints
Weerasinghe, C.; Hong Yan
Engineering in Medicine and Biology Society, 1998.
Proceedings of the 20th Annual International Conference of the IEEE
Volume: 2 , 1998 , Page(s): 640 -643 vol.2

CNF

Government Regulation's Impact On Healthcare Technology Companies
McGlynn, J.C.
Health Care Technology Policy I: The Role of Technology in the Cost of Health Care, 1994 , Page(s): 260 -277

CNF

Spin-cast P(VDF-TrFE) films for high performance medical ultrasound transducers
Brown, L.F.; Carlson, R.L.; Sempsrott, J.M.
Ultrasonics Symposium, 1997. Proceedings., 1997 IEEE
Volume: 2 , 1997 , Page(s): 1725 -1727 vol.2

CNF

Follow-up computerized study of Clozaril therapy
Ortiz, M.T.; Kozma, K.E.
Bioengineering Conference, 1993., Proceedings of the 1993 IEEE Nineteenth Annual Northeast , May 1993 , Page(s): 195 -197

CNF

Using categorical regression instead of a NOAEL to characterize a toxicologist's judgment in noncancer risk assessment
Hertzberg, R.C.; Dourson, M.L.
Uncertainty Modeling and Analysis, 1993. Proceedings., Second International Symposium on , April 1993 , Page(s): 254 -261

CNF

Arres: computer assisted post anesthesia care unit monitoring system
Ketikidis, P.H.; Kitz, D.S.; Lecky, J.H.; Mavrides, T.G.; Matschinsky, B.B.; Aukburg, S.J.
Engineering in Medicine and Biology Society, 1989. Images of the Twenty-First Century., Proceedings of the Annual International Conference of the IEEE Engineering in , 1989 , Page(s): 1855 -1856 vol.6

CNF

Three applications of neurocomputing in biomedical research
Stubbs, D.F.
Neural Networks, 1989. IJCNN., International Joint Conference on , 1989 , Page(s): 609 vol.2

CNF

A new method for post-acquisition correction of spectral distortion due to pulse pileup
Bristow, Q.
Nuclear Science Symposium and Medical Imaging Conference, 1991., Conference Record of the 1991 IEEE , 1991 , Page(s): 1047 -1051 vol.2

CNF

Developing a clinical proton accelerator facility: consortium-assisted technology transfer

Slater, J.M.; Miller, D.W.; Slater, J.W.
Particle Accelerator Conference, 1991. Accelerator Science and Technology., Conference Record of the 1991 IEEE, 1991, Page(s): 532 -536 vol.1

CNF

A rapid, user-friendly method for entering lesion morphology data after cardiac catheterization
Fortin, D.F.; Spero, L.A.; Cusma, J.T.; Stack, R.S.; Bashore, T.M.
Computers in Cardiology 1992, Proceedings of, 1992, Page(s): 131 -134

PER

Analysis of cavitation dynamics during pulsed laser tissue ablation by optical on-line monitoring
Brinkmann, R.; Hansen, C.; Mohrenstecher, D.; Scheu, M.; Birngruber, R.
Selected Topics in Quantum Electronics, IEEE Journal on Volume: 2 4, Dec. 1996, Page(s): 826 -835

| IEL Online Home | Search | Advanced Search | What's New | Help | Logout |
| FAQ's | Support | Comments |

IEEE/IEE Electronic Library *online*

SEARCH RESULTS

HOME | SEARCH | ADVANCED SEARCH | WHAT'S NEW | HELP | LOGOUT

(side effect or adverse effect or adverse event) a[Refine]

Collection: ☑ Journals ☑ Conferences ☑ Standards

Your search matched **0 of 653541** documents.

0 are presented on this page, sorted by Score in descending order.

No documents matched your query.

| IEL Online Home | Search | Advanced Search | What's New | Help | Logout |
| FAQ's | Support | Comments |

IEEE/IEE Electronic Library *o n l i n e*

SEARCH RESULTS

HOME | SEARCH | ADVANCED SEARCH | WHAT'S NEW | HELP | LOGOUT

(side effect or adverse effect or adverse event) a| Refine

Collection: ☑ Journals ☑ Conferences ☑ Standards

Your search matched **5** of **653541** documents.

5 are presented on this page, sorted by Score in descending order.

DOC TYPE	VIEW ISSUE TOC	VIEW FULL PAGE	VIEW CITATION
CNF			**Computerized monitoring of Clozaril therapy in NYS Psychiatric Centers** *Ortiz, M.T.; Burns, E.R.; Seitz, F.C.; Rudelli, R.D.* Bioengineering Conference, 1992., Proceedings of the 1992 Eighteenth IEEE Annual Northeast , 1992 , Page(s): 69 -70
CNF			**Follow-up computerized study of Clozaril therapy** *Ortiz, M.T.; Kozma, K.E.* Bioengineering Conference, 1993., Proceedings of the 1993 IEEE Nineteenth Annual Northeast , May 1993 , Page(s): 195 -197
CNF			**Arres: computer assisted post anesthesia care unit monitoring system** *Ketikidis, P.H.; Kitz, D.S.; Lecky, J.H.; Mavrides, T.G.; Matschinsky, B.B.; Aukburg, S.J.* Engineering in Medicine and Biology Society, 1989. Images of the Twenty-First Century., Proceedings of the Annual International Conference of the IEEE Engineering in , 1989 , Page(s): 1855 -1856 vol.6
CNF			**Extending the feature dictionary to support sophisticated feature interaction and classification** *Samuels, W.B.; Evens, M.; Naeymi-Rad, F.; Rosenthal, R.; Naeymirad, S.; Lee, C.; Trace, D.; Carmony, L.* Computer-Based Medical Systems,1989. Proceedings., Second Annual IEEE Symposium on , 1989 , Page(s): 29 -35
PER			**A causal probabilistic network for optimal treatment of bacterial infections** *Leibovici, L.; Fishman, M.; Schonheyder, H.C.; Riekehr, C.; Kristensen, B.; Shraga, I.; Andreassen, S.* Knowledge and Data Engineering, IEEE Transactions on Volume: 12 4 , July-Aug. 2000 , Page(s): 517 -528

WEST

Freeform Search

Database:
```
US Patents Full-Text Database        ▲
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins   ▼
```

Term:
```
(((advers$ adj (event or effect)) or (side$ adj    ▲
effect)) and manag$).ab.
                                                    ▼
```

Display: `20` Documents in <u>Display Format:</u> `CIT` **Starting with Number** `1`

Generate: ○ Hit List ⦿ Hit Count ○ Image

| Search | Clear | Help | Logout | Interrupt |

| Main Menu | Show S Numbers | Edit S Numbers | Preferences |

Search History

Today's Date: 12/28/2000

DB Name	Query	Hit Count	Set Name
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and manag$).ab.	19	L28
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and file).ab.	1	L27
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and treatment and file).ab.	0	L26
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and saf$ and file).ab.	0	L25
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and saf$ and manag$).ab.	1	L24
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and treatment and manag$).ab.	2	L23
USPT	l21 and database	6	L22
USPT	l20 and product	102	L21
USPT	l13 and saf$	147	L20
USPT	l6 and l13	2	L19

USPT	113 and 117	1	L18
USPT	((705/$)!.CCLS.)	5933	L17
USPT	113 and 115	0	L16
USPT	((707/$)!.CCLS.)	8942	L15
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and treatment and database).ab.	0	L14
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and treatment).ab.	452	L13
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and prescription).ab.	2	L12
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and prescription and saf$).ab.	0	L11
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and product and saf$).ab.	6	L10
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and product and (medic$ or pharmaceutical)).ab.	13	L9
USPT	(((advers$ adj event) or (side$ adj effect)) and product and (medic$ or pharmaceutical)).ab.	11	L8
USPT	l5 and l6	1	L7
USPT	marketing	13368	L6
USPT	l4 and product	124	L5
USPT	l3 and saf$	167	L4
USPT	l1 and l2	239	L3
USPT	pharmaceutical	107209	L2
USPT	advers$ adj event	332	L1

WEST

Freeform Search

Database:

US Patents Full Text Database ▲
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins ▼

Term:

```
(((advers$ adj (event or effect)) or (side$ adj
effect)) and product and (medic$ or
pharmaceutical)).ab.
```

Display: `20` Documents in **Display Format:** `CIT` **Starting with Number** `1`

Generate: ○ **Hit List** ● **Hit Count** ○ **Image**

Search	Clear	Help	Logout	Interrupt

Main Menu	Show S Numbers	Edit S Numbers	Preferences

Search History

Today's Date: 12/28/2000

DB Name	Query	Hit Count	Set Name
USPT	(((advers$ adj (event or effect)) or (side$ adj effect)) and product and (medic$ or pharmaceutical)).ab.	13	L9
USPT	(((advers$ adj event) or (side$ adj effect)) and product and (medic$ or pharmaceutical)).ab.	11	L8
USPT	l5 and l6	1	L7
USPT	marketing	13368	L6
USPT	l4 and product	124	L5
USPT	l3 and saf$	167	L4
USPT	l1 and l2	239	L3
USPT	pharmaceutical	107209	L2
USPT	advers$ adj event	332	L1